

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9665	(pulse near (anode cathode electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 08:01
L2	40	1 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 09:54
L3	2	("3544380").PN.	USPAT; USOCR	OR	OFF	2005/05/05 09:56
L4	0	EP-0445597-\$.did. EP-0701294-\$.did. WO-03028131-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 09:56
L5	5	EP-445597-\$.did. EP-701294-\$.did. WO-2003028131-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 09:57
L6	6	((("5601936") or ("3544380") or ("20030022033") or ("6589686") or ("6576356")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 10:49
L7	14	(US-20030076110-\$ or US-20030211372-\$ or US-20050037247-\$ or US-20040056633-\$ or US-20030022033-\$.did. or (US-6798221-\$ or US-6537690-\$ or US-6828048-\$ or US-5601936-\$ or US-6576356-\$ or US-6589686-\$.did. or (US-3411951-\$ or US-3544380-\$.did. or (WO-3083975-\$.did.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/05/05 10:52
L8	4	7 and (inert near gas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 11:16
L9	1	("20050095472").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 11:16
S1	1013	(variable programmable changeable adjustable) near ((DC (direct adj current)) adj (power adj (source supply)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:25

S2	6	S1 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 08:02
S3	6642	(variable programmable changeable adjustable) near (power adj (source supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:32
S4	62	S3 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:51
S5	70301	(DC (direct adj current)) adj (power adj (source supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:33
S6	864	S5 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 09:51
S7	332	S5 same (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 09:52
S8	0	S7 and ((break?in precondition\$3) with (method process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:51
S9	247	S7 and (method process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:41
S10	0	S7 and ((break?in precondition\$3) same (method process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:40
S11	7	S9 and (break?in precondition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:41

S12	7	S9 and (break?in precondition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:41
S13	6	(break?in precondition\$3) with (method process) with (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:45
S14	2	S13 and (power adj (source supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:50
S15	1078026	(power adj (source supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:31
S16	10	S15 with ((break?in precondition\$3) with (method process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:51
S17	0	S16 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 10:52
S18	29	S15 same ((break?in precondition\$3) with (method process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:45
S19	1	S18 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:31
S20	957	(429/13).CCLS.	USPAT; USOCR	OR	OFF	2005/05/04 11:31
S22	260	S20 and (power adj (source supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:32
S23	2	S20 and ((variable programmable changeable adjustable) near (power adj (source supply)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:32

S24	92	S22 and (DC (direct adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:34
S25	0	S20 same ((break?in precondition\$3 start?up) with (method process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 11:45
S26	39	S20 and ((break?in precondition\$3 start?up) with (method process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:20
S27	957	(429/13).CCLS.	USPAT; USOCR	OR	OFF	2005/05/04 17:21
S28	3	S27 and pulse near (anode cathode electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:21
S29	3	S27 and (pulse near (anode cathode electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:25
S30	9656	(pulse near (anode cathode electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:26
S31	16	S30 and ((variable programmable - changeable adjustable) near ((DC (direct adj current)) adj (power adj (source supply))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:26
S32	0	S31 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:26
S33	0	("429".ccls.) and (pulse near (anode cathode electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 17:27
S34	37651	("429").CLAS.	USPAT; USOCR	OR	OFF	2005/05/04 17:27

S35	15	S34 and (pulse near (anode cathode electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 08:01
-----	----	--	---	----	----	------------------